This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Previously Presented): A fluid monitoring apparatus for monitoring a fluid in a

fluid mains supply, the apparatus comprising means for connecting the apparatus to

the mains supply, a testing chamber, a fluid tester for testing a variable of a fluid in the

testing chamber and a purger for purging a volume of fluid from the testing chamber

which volume of fluid is substantially larger than the volume of the testing chamber,

thereby replacing the fluid in the testing chamber with a new fluid volume, and in which

the apparatus comprises a pressure sensor for measuring the fluid pressure.

Claim 2 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the apparatus is adapted for coupling to a hydrant connected to the mains supply.

Claim 3 (Canceled).

Claim 4 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the apparatus comprises a purge controller for controlling the purger to

determine the volume to be purged.

Page 2 of 9

Claim 5 (Previously Presented): A fluid monitoring apparatus according to claim 4,

wherein the purge controller uses the measured pressure to determine the period for

which the purger should operate.

Claim 6 (Original): A fluid monitoring apparatus according to claim 5, in which the

period is determined by comparing the pressure in a look-up table for a suitable purge

time.

Claim 7 (Previously Presented): A fluid monitoring apparatus according to claim 4, in

which the purge controller comprises a microprocessor.

Claim 8 (Previously Presented): A fluid monitoring apparatus claim 1, in which the

purger is configured to act for a purge time such that the fluid from the mains supply

enters the testing chamber.

Claim 9 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the fluid tester comprises a turbidity tester.

Page 3 of 9

Reply to Office Action of December 30, 2008

Claim 10 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the apparatus comprises an electrical conductivity tester.

Claim 11 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the apparatus comprises a temperature tester.

Claim 12 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the apparatus is configured whereby purged fluid is purged from the apparatus to

atmosphere.

Claim 13 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the apparatus comprises a memory for storing fluid test information.

Claim 14 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the apparatus comprises data download means to enable data from the memory

to be downloaded to an external device.

Claim 15 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the apparatus comprises a power cell.

Claim 16 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the fluid comprises a liquid.

Claim 17 (Previously Presented): A fluid monitoring apparatus according to claim 1, in

which the liquid comprises water.

Claim 18 (Previously Presented): A fluid monitoring apparatus according to claim 1,

in which the mains supply is a mains water supply.

Claim 19 (Currently Amended): A fluid monitoring apparatus according to claim 1,

wherein the fluid monitoring apparatus is coupled to a fluid mains containing a fluid

mains supply by the means for connecting the apparatus to the fluid mains supply A

fluid mains to which an apparatus according to claim 1 is coupled.

Page 5 of 9

Claim 20 (Original): A fluid mains according to claim 19, in which the fluid mains is a

liquid mains.

Claim 21 (Currently Amended): A fluid mains according to claim 19 or claim 20, in

which the liquid mains is a water mains.

Claim 22 (Currently Amended): A method of operating a fluid monitoring apparatus for

monitoring a fluid in a fluid mains supply, which method comprises the steps of

connecting the apparatus to a mains supply, testing a variable of a fluid in a testing

chamber and purging a volume of fluid from the testing chamber which volume of fluid is

substantially larger than the volume of the testing chamber, thereby replacing the fluid in

the testing chamber with a new fluid volume, in which the fluid pressure is measured by

a fluid sensor.

Claim 23 (New): A fluid monitoring apparatus for monitoring a fluid in a fluid mains

supply, the apparatus comprising means for connecting the apparatus to the mains

supply, a testing chamber, a fluid tester for testing a variable of a fluid in the testing

chamber and a purger for purging a volume of fluid from the testing chamber which

volume of fluid is substantially larger than the volume of the testing chamber, thereby

Page 6 of 9

Appl. No. 10/595,838 Amdt. dated March 27, 2009 Reply to Office Action of December 30, 2008

replacing the fluid in the testing chamber with a new fluid volume, and in which the fluid tester comprises a turbidity tester.